

Status Tracking Service



Content

| | |
|---------------------------------------------------------------------------|----|
| Authorization | 3 |
| 1. Receiving all the statuses by barcode | 4 |
| 2. Receiving the latest status by barcode..... | 8 |
| 3. Receiving all the statuses by barcode list | 9 |
| 3.1. Receiving all statuses by list of barcodes not found in system | 15 |
| 3.2 Receiving shipment statuses by phone..... | 18 |
| 4. Receiving the latest statuses by barcode list..... | 19 |
| 4.1. Receiving the last statuses with barcodes not found in system..... | 20 |
| 4.2. Receiving shipment status by phone..... | 22 |
| 5. Shipment Route..... | 23 |
| 6. Shipment status filter | 24 |
| Annex A. Types of shipment | 25 |
| Annex B. Main statuses list..... | 26 |
| API Change History | 29 |

Authorization

Access to the API is possible through the user token and authorization bearer. The **user token** and the **authorization bearer** must be received in the Annex to signed agreement. The transfer of the authorization bearer is carried out in the request header – in the **Authorization** parameter.

The request consists of a list of mandatory parameters:

```
curl -X {query_type} header 'Content-Type: application/json' --header  
'Authorization: Bearer {bearer_Uuid}' 'https://www.ukrposhta.ua/status-  
tracking/{api_version}'
```

- ▶ `{query_type}` – type of request: GET, POST
- ▶ `{api_version}` – the version of the API to which the request is being executed
- ▶ Header: 'Authorization: Bearer { `bearer_Uuid` }' – authorization bearer parameter for authorization

Example of request:

```
curl -X GET --header 'Content-Type: application/json' --header  
'Authorization: Bearer 11111111-2222-3333-aaaa-bcdef1234567'  
'https://www.ukrposhta.ua/status-tracking/0.0.1/statuses'
```

1. Receiving all the statuses by barcode

Brief description. After the request, an array will be received with a status list, whose bar code was specified in the request. To receive an answer in English, you must send a following request:

URI: /statuses?barcode={barcode}&lang=en

URI: /statuses

Method: GET

Table 2.1. JSON Body Parameters

| Parameter | Type | Description |
|----------------|---------------------------|-----------------------------------------------------------------------|
| barcode | String | Barcode for shipment |
| step | Number (Int) | Event number |
| date | String (LocalDateTime) | Date and time of last shipment status |
| index | String | Postal code index |
| name | String | Name of the post office |
| event | Number (Int) | Processing event code |
| eventName | String | Decoding the event code, for example: "Arrival to the branch office". |
| country | String | Country of shipment location |
| eventReason | String | Clarifying event information, for example: "personally" |
| eventReason_id | Number (Int) | Service information |
| mailType | Number (Int) | Type of shipment. (Table with types of shipments) |
| indexOrder | Number (Int) | Service information |

Get all statuses by barcode

GET Request URI: /statuses?barcode={barcode}

Response
Response code: 200

```
[
  {
    "barcode": "0500100031143",
    "step": 3,
    "date": "2017-07-27T16:33:00",
    "index": "03505",
    "name": "DKD KYIV",
    "event": 10100,
    "eventName": "Acceptance",
    "country": "Ukraine",
    "eventReason": null,
    "eventReason_id": 1,
    "mailType": 1048576,
    "indexOrder": 1
  },
  {
    "barcode": "0500100031143",
    "step": 2,
    "date": "2017-07-27T16:51:57",
    "index": "03505",
    "name": "DKD KYIV",
    "event": 20700,
    "eventName": "Arrival",
    "country": "Ukraine",
    "eventReason": null,
    "eventReason_id": 1,
    "mailType": 1048576,
    "indexOrder": 1
  },
  {
    "barcode": "0500100031143",
    "step": 4,
    "date": "2017-07-27T16:58:18",
    "index": "03505",
    "name": "DKD KYIV",
    "event": 20800,
    "eventName": "Shipment",
    "country": "Ukraine",
    "eventReason": null,
    "eventReason_id": 1,
    "mailType": 1048576,
    "indexOrder": 1
  },
  {
    "barcode": "0500100031143",
    "step": 5,
    "date": "2017-07-27T18:26:30",
```

```
"index": "03909",
"name": "DOPP KYIV",
"event": 20700,
"eventName": "Arrival",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 2
},
{
  "barcode": "0500100031143",
  "step": 8,
  "date": "2017-07-27T22:52:23",
  "index": "03909",
  "name": "DOPP KYIV",
  "event": 20800,
  "eventName": "Shipment",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 2
},
{
  "barcode": "0500100031143",
  "step": 9,
  "date": "2017-07-28T08:50:12",
  "index": "65399",
  "name": "TSEHOP ODESSA",
  "event": 20700,
  "eventName": "Arrival",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 3
},
{
  "barcode": "0500100031143",
  "step": 12,
  "date": "2017-07-28T09:49:28",
  "index": "65399",
  "name": "TSEHOP ODESSA",
  "event": 20800,
  "eventName": "Shipment",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 3
},
{
```



```
"barcode": "0500100031143",
"step": 14,
"date": "2017-07-28T09:49:45",
"index": "65501",
"name": "DKD ODESSA",
"event": 21500,
"eventName": "Sending to branch office",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 4
},
{
"barcode": "0500100031143",
"step": 15,
"date": "2017-07-28T18:41:00",
"index": "65501",
"name": "DKD ODESSA",
"event": 21700,
"eventName": "Arrival to the branch office",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 4
},
{
"barcode": "0500100031143",
"step": 16,
"date": "2017-07-29T20:24:00",
"index": "65501",
"name": "DKD ODESSA",
"event": 41000,
"eventName": "Delivery",
"country": "Ukraine",
"eventReason": "personally",
"eventReason_id": 2,
"mailType": 1048576,
"indexOrder": 4
}
]
```

2. Receiving the latest status by barcode

Brief description. The last shipment status with specified barcode, will be received after the request. To receive an answer in English, you must create a corresponding request:

URI: /statuses/last?barcode={barcode}&lang=en

URI: /statuses

Method: GET

Get the last status by barcode

GET Request URI: /statuses/last?barcode={barcode}

Response
Response code: 200

```
{
  "barcode": "0500100031143",
  "step": 16,
  "date": "2017-07-29T20:24:00",
  "index": "65501",
  "name": "DKD ODESSA",
  "event": 41000,
  "eventName": "Delivery",
  "country": "Ukraine",
  "eventReason": "personally",
  "eventReason_id": 2,
  "mailType": 1048576,
  "indexOrder": 4
}
```


3. Receiving all the statuses by barcode list

Brief description. After the request, an array of statuses of the shipments, the barcodes of which were specified in the request, will be received. In the request You can send up to 50 barcodes. To receive an answer in English, you must create a corresponding request:

URI:/statuses?lang=en

Method: POST

Get all the statuses by barcode list

POST Request URI:/statuses

```
[  
  "0500100031143",  
  "0500100031135"  
]
```

Response
Response code: 200

```
[  
  {  
    "barcode": "0500100031143",  
    "step": 3,  
    "date": "2017-07-27T16:33:00",  
    "index": "03505",  
    "name": "DKD KYIV",  
    "event": 10100,  
    "eventName": "Acceptance",  
    "country": "Ukraine",  
    "eventReason": null,  
    "eventReason_id": 1,  
    "mailType": 1048576,  
    "indexOrder": 1  
  },  
  {  
    "barcode": "0500100031143",  
    "step": 2,  
    "date": "2017-07-27T16:51:57",  
    "index": "03505",  
    "name": "DKD KYIV",  
    "event": 20700,  
    "eventName": "Arrival",  
    "country": "Ukraine",  
    "eventReason": null,  
    "eventReason_id": 1,  
    "mailType": 1048576,  
    "indexOrder": 1  
  },  
  {  
    "barcode": "0500100031143",  
    "step": 4,  
    "date": "2017-07-27T16:58:18",
```

```
"index": "03505",
"name": "DKD KYIV",
"event": 20800,
"eventName": "Shipment",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 1
},
{
  "barcode": "0500100031143",
  "step": 5,
  "date": "2017-07-27T18:26:30",
  "index": "03909",
  "name": "DOPP KYIV",
  "event": 20700,
  "eventName": "Arrival",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 2
},
{
  "barcode": "0500100031143",
  "step": 8,
  "date": "2017-07-27T22:52:23",
  "index": "03909",
  "name": "DOPP KYIV",
  "event": 20800,
  "eventName": "Shipment",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 2
},
{
  "barcode": "0500100031143",
  "step": 9,
  "date": "2017-07-28T08:50:12",
  "index": "65399",
  "name": "TSEHOP ODESSA",
  "event": 20700,
  "eventName": "Arrival",
  "country": "Ukraine",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 3
},
{
```



```
"barcode": "0500100031143",
"step": 12,
"date": "2017-07-28T09:49:28",
"index": "65399",
"name": "ТСЕНОП ODESSA",
"event": 20800,
"eventName": "Shipment",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 3
},
{
"barcode": "0500100031143",
"step": 14,
"date": "2017-07-28T09:49:45",
"index": "65501",
"name": "DKD ODESSA",
"event": 21500,
"eventName": "Sending to the branch office",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 4
},
{
"barcode": "0500100031143",
"step": 15,
"date": "2017-07-28T18:41:00",
"index": "65501",
"name": "DKD ODESSA",
"event": 21700,
"eventName": "Arrival to the branch office",
"country": "Ukraine",
"eventReason": null,
"eventReason_id": 1,
"mailType": 1048576,
"indexOrder": 4
},
{
"barcode": "0500100031143",
"step": 16,
"date": "2017-07-29T20:24:00",
"index": "65501",
"name": "DKD ODESSA",
"event": 41000,
"eventName": "Delivery",
"country": "Ukraine",
"eventReason": "personally",
"eventReason_id": 2,
"mailType": 1048576,
```



```
    "indexOrder":4
  },
  {
    "barcode":"0500100031135",
    "step":3,
    "date":"2017-07-27T16:33:00",
    "index":"03505",
    "name":"DKD KYIV",
    "event":10100,
    "eventName":"Acceptance",
    "country":"Ukraine",
    "eventReason":null,
    "eventReason_id":1,
    "mailType":1048576,
    "indexOrder":1
  },
  {
    "barcode":"0500100031135",
    "step":2,
    "date":"2017-07-27T16:52:12",
    "index":"03505",
    "name":"DKD KYIV",
    "event":20700,
    "eventName":"Arrival",
    "country":"Ukraine",
    "eventReason":null,
    "eventReason_id":1,
    "mailType":1048576,
    "indexOrder":1
  },
  {
    "barcode":"0500100031135",
    "step":4,
    "date":"2017-07-27T16:58:18",
    "index":"03505",
    "name":"DKD KYIV",
    "event":20800,
    "eventName":"Shipment",
    "country":"Ukraine",
    "eventReason":null,
    "eventReason_id":1,
    "mailType":1048576,
    "indexOrder":1
  },
  {
    "barcode":"0500100031135",
    "step":5,
    "date":"2017-07-27T18:26:30",
    "index":"03909",
    "name":"DOPP KYIV",
    "event":20700,
    "eventName":"Arrival",
    "country":"Ukraine",
```

```
"eventReason":null,
"eventReason_id":1,
"mailType":1048576,
"indexOrder":2
},
{
"barcode":"0500100031135",
"step":8,
"date":"2017-07-27T22:52:23",
"index":"03909",
"name":"DOPP KYIV",
"event":20800,
"eventName":"Shipment",
"country":"Ukraine",
"eventReason":null,
"eventReason_id":1,
"mailType":1048576,
"indexOrder":2
},
{
"barcode":"0500100031135",
"step":9,
"date":"2017-07-28T08:50:12",
"index":"65399",
"name":"TSEHOP ODESSA",
"event":20700,
"eventName":"Arrival",
"country":"Ukraine",
"eventReason":null,
"eventReason_id":1,
"mailType":1048576,
"indexOrder":3
},
{
"barcode":"0500100031135",
"step":12,
"date":"2017-07-28T09:49:28",
"index":"65399",
"name":"TSEHOP ODESSA",
"event":20800,
"eventName":"Shipment",
"country":"Ukraine",
"eventReason":null,
"eventReason_id":1,
"mailType":1048576,
"indexOrder":3
},
{
"barcode":"0500100031135",
"step":14,
"date":"2017-07-28T09:49:46",
"index":"65501",
"name":"DKD ODESSA",
```

```
"event":21500,  
"eventName":"Sending to branch office",  
"country":"Ukraine",  
"eventReason":null,  
"eventReason_id":1,  
"mailType":1048576,  
"indexOrder":4  
},  
{  
  "barcode":"0500100031135",  
  "step":15,  
  "date":"2017-07-28T18:41:00",  
  "index":"65501",  
  "name":"DKD ODESSA",  
  "event":21700,  
  "eventName":"Arrival to the branch office",  
  "country":"Ukraine",  
  "eventReason":null,  
  "eventReason_id":1,  
  "mailType":1048576,  
  "indexOrder":4  
},  
{  
  "barcode":"0500100031135",  
  "step":16,  
  "date":"2017-07-29T20:23:00",  
  "index":"65501",  
  "name":"DKD ODESSA",  
  "event":41000,  
  "eventName":"Delivery",  
  "country":"Ukraine",  
  "eventReason":"personally",  
  "eventReason_id":2,  
  "mailType":1048576,  
  "indexOrder":4  
}  
]
```

3.1. Receiving all statuses by list of barcodes not found in system

Brief description. If the query contains the barcodes that are not registered in the system, it returns the data only on the registered shipments, followed by list of barcodes that were not found in system.

POST Request
URI:/statuses/with-not-found

```
[  
  "0500128254610",  
  "0500022918705",  
  "0500128254768",  
  "0500128254776",  
  "0500128254792",  
  "0500401039140",  
  "0500128254814",  
  "RA067022855UA",  
  "0500128254830",  
  "0500128254873",  
  "0500022918713",  
  "0500022918721",  
  "RA067022878UA",  
  "0500128254911",  
  "0500022918730",  
  "RA067022881UA",  
  "0500128254946",  
  "0500022918764",  
  "0500128254970",  
  "0500401039158"  
]
```

Response
Response code: 200

```
{  
  "found": {  
    "0500128254873": [  
      {  
        "barcode": "0500128254873",  
        "step": 30,  
        "date": "2019-02-07T16:36:00",  
        "index": "11001",  
        "name": "ОЛЕВСЬК 1",  
        "event": "41000",  
        "eventName": "Відправлення вручено",  
        "country": "Україна",  
        "eventReason": null,  
        "eventReason_id": 1,  
        "mailType": 4096,  
        "indexOrder": 4  
      }  
    ],  
    "0500128254610": [  
      {  
        "barcode": "0500128254610",
```

```
"step":61,  
"date":"2019-02-13T10:39:58",  
"index":"05300",  
"name":"ЦОКК 5 КИЇВ",  
"event":"20700",  
"eventName":"Надходження на сортувальний центр",  
"country":"Україна",  
"eventReason":null,  
"eventReason_id":1,  
"mailType":4096,  
"indexOrder":9  
},  
{  
"barcode":"0500128254610",  
"step":62,  
"date":"2019-02-13T10:40:49",  
"index":"05300",  
"name":"ЦОКК 5 КИЇВ",  
"event":"21500",  
"eventName":"Відправлено до точки видачі/доставки",  
"country":"Україна",  
"eventReason":null,  
"eventReason_id":1,  
"mailType":4096,  
"indexOrder":9  
},  
{  
"barcode":"0500128254610",  
"step":65,  
"date":"2019-02-13T10:42:00",  
"index":"05300",  
"name":"ЦОКК 5 КИЇВ",  
"event":"21700",  
"eventName":"Відправлення у точці видачі/доставки",  
"country":"Україна",  
"eventReason":null,  
"eventReason_id":1,  
"mailType":4096,  
"indexOrder":9  
},  
{  
"barcode":"0500128254610",  
"step":66,  
"date":"2019-02-14T14:13:00",  
"index":"05300",  
"name":"ЦОКК 5 КИЇВ",  
"event":"41000",  
"eventName":"Відправлення вручено: відправнику",  
"country":"Україна",  
"eventReason":"відправнику",  
"eventReason_id":10,  
"mailType":4096,  
"indexOrder":9
```



```
    }  
  ]  
},  
"notFound": [  
  "0500022918705",  
  "0500128254768",  
  "0500128254776",  
  "0500128254792",  
  "0500401039140",  
  "0500128254814",  
  "RA067022855UA",  
  "0500128254830",  
  "0500022918713",  
  "0500022918721",  
  "RA067022878UA",  
  "0500128254911",  
  "0500022918730",  
  "RA067022881UA",  
  "0500128254946",  
  "0500022918764",  
  "0500128254970",  
  "0500401039158"  
]  
}
```

3.2 Receiving shipment statuses by phone

Receiving additional statuses according to the list of barcodes and recipient's phone numbers

POST Request
URI:/extra-statuses/last

```
[
  {
    "barcode": "0500100031143",
    "recipientPhoneNumber": "380634440999"
  },
  {
    "barcode": "0500100031143",
    "recipientPhoneNumber": "380634440999"
  }
]
```

Response
Response code: 200

```
[
  {
    "barcode": "0500100031143",
    "step": 3,
    "date": "2017-07-27T16:33:00",
    "index": "03505",
    "name": "ДКД КИЇВ",
    "event": 10100,
    "eventName": "Приймання",
    "country": "Україна",
    "eventReason": null,
    "eventReason_id": 1,
    "mailType": 1048576,
    "indexOrder": 1
  },
  {
    "barcode": "0500100031143",
    "step": 2,
    "date": "2017-07-27T16:51:57",
    "index": "03505",
    "name": "ДКД КИЇВ",
    "event": 20700,
    "eventName": "Надходження",
    "country": "Україна",
    "eventReason": null,
    "eventReason_id": 1,
    "mailType": 1048576,
    "indexOrder": 1
  }
]
```

4. Receiving the latest statuses by barcode list

Brief description. After the request, an array of recent statuses of the shipments, the barcodes of which were specified in the request, will be received. In the request You can send up to 100 barcodes. To receive an answer in English, you must create a corresponding request:

URI: /statuses/last?lang=en

URI: /statuses

Method: POST

Get the latest statuses by barcode list

POST Request URI: /statuses/last

```
[  
  "0500100031143",  
  "0500100031135"  
]
```

Response
Response code: 200

```
[  
  {  
    "barcode": "0500100031143",  
    "step": 16,  
    "date": "2017-07-29T20:24:00",  
    "index": "65501",  
    "name": "DKD ODESSA",  
    "event": 41000,  
    "eventName": "Delivery",  
    "country": "Ukraine",  
    "eventReason": "personally",  
    "eventReason_id": 2,  
    "mailType": 1048576,  
    "indexOrder": 4  
  },  
  {  
    "barcode": "0500100031135",  
    "step": 16,  
    "date": "2017-07-29T20:23:00",  
    "index": "65501",  
    "name": "DKD ODESSA",  
    "event": 41000,  
    "eventName": "Delivery",  
    "country": "Ukraine",  
    "eventReason": "personally",  
    "eventReason_id": 2,  
    "mailType": 1048576,  
    "indexOrder": 4  
  }  
]
```

```
}  
]
```

4.1. Receiving the last statuses with barcodes not found in system

Receiving the latest statuses according to the list of barcodes and the list of barcodes not found in the system

POST Request
URI:/statuses/last/with-not-found

```
[  
  "0500128254610",  
  "0500022918705",  
  "0500128254768",  
  "0500128254776",  
  "0500128254792",  
  "0500401039140",  
  "0500128254814",  
  "RA067022855UA",  
  "0500128254830",  
  "0500128254873",  
  "0500022918713",  
  "0500022918721",  
  "RA067022878UA",  
  "0500128254911",  
  "0500022918730",  
  "RA067022881UA",  
  "0500128254946",  
  "0500022918764",  
  "0500128254970",  
  "0500401039158"  
]
```

Response
Response code: 200

```
{  
  "found":{  
    "0500128254873":[  
      {  
        "barcode":"0500128254873",  
        "step":30,  
        "date":"2019-02-07T16:36:00",  
        "index":"11001",  
        "name":"ОЛЕВСЬК 1",  
        "event":"41000",  
        "eventName":"Відправлення вручено",  
        "country":"Україна",  
        "eventReason":null,  
        "eventReason_id":1,  
        "mailType":4096,  
        "indexOrder":4  
      }  
    ]  
  }  
}
```

```
],  
  "0500128254610": [  
    {  
      "barcode": "0500128254610",  
      "step": 66,  
      "date": "2019-02-14T14:13:00",  
      "index": "05300",  
      "name": "ЦОКК 5 КИЇВ",  
      "event": "41000",  
      "eventName": "Відправлення вручено: відправнику",  
      "country": "Україна",  
      "eventReason": "відправнику",  
      "eventReason_id": 10,  
      "mailType": 4096,  
      "indexOrder": 9  
    }  
  ]  
},  
  "notFound": [  
    "0500022918705",  
    "0500128254768",  
    "0500128254776",  
    "0500128254792",  
    "0500401039140",  
    "0500128254814",  
    "RA067022855UA",  
    "0500128254830",  
    "0500022918713",  
    "0500022918721",  
    "RA067022878UA",  
    "0500128254911",  
    "0500022918730",  
    "RA067022881UA",  
    "0500128254946",  
    "0500022918764",  
    "0500128254970",  
    "0500401039158"  
  ]  
}
```

4.2. Receiving shipment status by phone

Receiving the latest status by recipient's SKI and phone number

barcode – shipment barcode

recipientPhoneNumber – recipient's phone number

GET Request

URI: /extra-

statuses/last?barcode={barcode}&recipientPhoneNumber={recipientPhoneNumber}

Response

Response code: 200

```
{
  "barcode": "0500100031143",
  "step": 3,
  "date": "2017-07-27T16:33:00",
  "index": "03505",
  "name": "ДКД КИЇВ",
  "event": 10100,
  "eventName": "Приймання",
  "country": "Україна",
  "eventReason": null,
  "eventReason_id": 1,
  "mailType": 1048576,
  "indexOrder": 1
}
```

5. Shipment Route

Brief description. The request allows to get the route of shipment, with shipment`s barcode mentioned in the request.

Get the Shipment Route by Barcode

GET Request

URI: /barcodes/{barcode}/route

Response

Response code: 200

```
{  
  "from": "УКРАЇНА м.Київ",  
  "to": "УКРАЇНА с.Біляни"  
}
```

To receive the answer in English or Ukrainian, use the parameter "in-lang" (EN or UA):

Get the Shipment Route by Barcode in English

GET Request

URI: /barcodes/{barcode}/route /in-lang/EN

Response

Response code: 200

```
{  
  "from": "UKRAINE .Kyiv",  
  "to": "UKRAINE .Biliany"  
}
```

6. Shipment status filter

Brief description. The shipment statuses are tracked depending on the sender country. The service allows to track the shipments from Ukraine and China.

IF

- ▶ the shipment barcode starts with «U», i.e. **UU**123456789CN, ends with country code **except «UA»** (Ukraine),

or

- ▶ the shipment barcode starts with «L», i.e. **LO**123456789FR, ends with country code **except «UA» or «CN»**,

the query for getting the shipment status by barcode returns an error message:

```
{  
  "code": "UPE02000",  
  "message": "Specified shipment has no tracking service"  
}
```


Annex A. Types of shipment

| ID of shipment type | Shipment type |
|---------------------|--------------------------------|
| 4 194 304 | Container, Courier delivery |
| 128 | Secogramme |
| 2 048 | Message |
| 131 072 | International box |
| 16 777 216 | Container period print edition |
| 512 | Container |
| 4 | Banderol |
| 8 | Parcel |
| 33 554 432 | Bag Advertising |
| 67 108 864 | Container Advertising |
| 262 144 | International Post Package |
| 16 | Smallbag |
| 268 435 456 | Palette |
| 524 288 | International container |
| 16 384 | Shipment with declared value |
| 32 | Postal |
| 2 | Letter |
| 256 | Bag "M" |
| 2 097 152 | Bag, Courier delivery |
| 1 024 | Bag |
| 65 536 | International bag |
| 64 | Plate |
| 8 388 608 | International bag, Consignment |
| 8 192 | Post Package |
| 32 768 | Box |
| 4 096 | Ukrposhta Standart |
| 1 048 576 | Ukrposhta Express |
| 536 870 912 | Shipment B |

Annex B. Main statuses list

| Id (event) | Description | Ecom API status |
|------------|-------------------------------------------------------------------------------|-----------------|
| 10100 | Shipment accepted at the branch | REGISTERED |
| 20700 | Income to sorting center | DELIVERING |
| 20800 | Shipment departure | DELIVERING |
| 20900 | Departure to delivery office | DELIVERING |
| 21500 | Departure to delivery office | DELIVERING |
| 21700 | Arrival to delivery office | IN_DEPARTMENT |
| 31100 | Attempted/Unsuccessful delivery | DELIVERING |
| 41000 | Final delivery | DELIVERED |
| 48000 | International shipment delivered in the recipient's country | DELIVERED |
| 41010 | Shipment is not handed over | RETURNED |
| 31 200 | Returning of shipment | RETURNING |
| 31 200 | Returning to the sender's address: by the end of the specified storage period | RETURNING |
| | Returning to the sender's address: on the initiative of the recipient | RETURNING |
| | Returning to the sender's address: on the initiative of the sender | RETURNING |
| 31 300 | Shipment is forwarded to other postoffice | FORWARDING |
| 31400 | Unsuccessful delivery (transfer to storage) | FORWARDING |
| 10602 | Reception canceled | CANCELLED |
| 10600 | Reception canceled (at the request of the sender) | CANCELLED |
| 10603 | Deleted by the client | - |
| 21400 | Transferred for storage | STORAGE |

* In case of return of the shipment, the final status 41010 is formed as a sum (in this case, the field itself event has a value 41000)

"event": "41000" + "eventReason_id": 10 = 41010 ("Shipment delivered to: sender")

For example

```
{
  "barcode": "0503098792611",
  "step": 38,
  "date": "2023-05-20T17:38:00",
  "index": "84307",
  "name": " KRAMATORSK 7",
  "event": "41000",
  "eventName": " Shipment delivered to: sender",
  "country": "Ukraine",
  "eventReason": "sender",
  "eventReason_id": 10,
  "mailType": 1048576,
  "indexOrder": 9
}
```

Besides "event": "41000" + "eventReason_id": 10 the fact of return is also indicated by the presence of status 31 200 in the list.

For international shipments, during the delivery process, the shipment may also have the following statuses.

| Id (event) | Description |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Across the territory of Ukraine | |
| 21600 | Arrival at outward office of exchange |
| 35300 | Item being held, addressee being notified |
| 60700 | Arrival at inward office of exchange |
| 70800 | The postal item has been processed at the office of exchange and handed over for further transportation to the destination country |
| 71200 | The postal item has been processed at the office of exchange and handed over for further transportation to the destination country |
| 80700 | Transmission for customs control |
| 80821, 80830- 80841 | Located at customs + reason |
| 80800 | Located at customs |
| 82700 | Item presented to customs |
| 87500 | Located at customs |
| 89000 | Item presented to customs |
| 82800 | Released from customs for further delivery |
| 90700 | Item is on sorting |
| 90800 | Departure from inward office of exchange |
| 100800 | Departure from transit office of exchange |
| 100700 | Arrival at transit office of exchange |
| Outside Ukraine | |
| 17100 | Acceptance |
| 24100 | Item held by outward office of exchange |
| 24200 | Export cancellation |
| 24300 | Held at inward office of exchange |
| 24400 | Item held at delivery depot |
| 24500 | Import terminated |
| 27200 | Arrival at outward office of exchange |
| 27900 | Arrival at delivery office |
| 29200 | Item into sorting centre |
| 29300 | Item out of sorting centre |
| 29500 | Item out for physical delivery |
| 29700 | Item arrival at collection point for pick-up (by recipient) |
| 35100 | Scheduled for further delivery attempt today |
| 35200 | Will attempt delivery on next working day |
| 35300 | Item being held, addressee being notified |
| 35400 | Sender contacted, awaiting reply |
| 35500 | Item returned to sender |
| 35600 | Item forwarded/redirected |
| 35700 | Item held for inspection |
| 36000 | Addressee advised to pick up the item |
| 36200 | Item being held at addressee's request |

| | |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 36300 | Addressee's address being verified |
| 36400 | Item being re-packed |
| 36500 | Item at the sorting center |
| 48000 | Final delivery |
| 55800 | Item seized or destroyed because of nature of content |
| 55900 | Origin Post contacted |
| 56100 | Destroyed according to sender's instructions |
| 67300 | Arrival at inward office of exchange |
| 77600 | Departure from outward office of exchange |
| 87500 | Located at customs |
| 88500 | Item held by export customs |
| 89000 | Item presented to customs |
| 89100 | Released from customs for further delivery |
| 97700 | Departure from inward office of exchange |
| 107400 | Arrival at transit office of exchange |
| 107800 | Departure from transit office of exchange |
| 2100 | The receptacle is prepared for handover to the carrier for transportation |
| 2200 | Accepted by transit post |
| 2201 | Accepted by destination post for processing |
| 3006 | The container with your postal item has been handed over to the vehicle travelling to the destination country |
| 4001 | The container has been received by the destination post |
| 4014 | Container with your item is processed at the airport |
| 4021 | Container with your item is processed at the airport |
| 4040 | Container with your item is processed at the airport |
| 4082 | Container with your item has returned from destination point |
| 5001 | Final delivery (according to the investigation) |
| 5002 | Final delivery (according to the official response from the destination country postal service) |
| 5003 | Arrival in the destination country (according to the investigation) |
| 5004 | Returned to sender (according to the investigation) |
| 5005 | Held by customs (according to the official response from the destination country postal service). The addressee or the sender is advised to contact the customs directly to regulate customs formalities |

API Change History

New in the version of 07.08.2019:

1. Added a section describing requests for obtaining the delivery route of a shipment.
2. Added requests for obtaining statuses with a list of barcodes not found in the system.

New in the version of 16.10.2019:

1. A list of main statuses with codes has been added to Annex B..

New in the version of 10.01.2020:

1. Added a shipment status tracking filter.

New in the version of 10.12.2020:

1. Added a note about tracking only shipments registered at the branch.

New in the version of 31.03.2021:

1. Sections describing requests for tracking shipments via TMM have been removed..

New in the version of 27.05.2021:

1. In Annex B, "Acceptance canceled" and "Deleted by client" have been added to the list of statuses.

New in the version of 08.02.2022:

1. Updated the description of statuses in Annex B.

New in the version of 05.04.2022:

Added sections 3.2 and 4.2 with examples of requests for statuses by barcodes and recipient's phone number.

New in the version of 05.04.2023:

1. Annex B, an example of generating the delivery status of a shipment in case of return has been added.

New in the version of 15.02.2024:

1. Annex B, added a description of statuses for international shipments..

New in the version of 15.02.2024:

1. Annex B, updated description of statuses, added 10600 Reception canceled (at the request of the sender).